

Amendments to the Claims:

1-21. (canceled)

22. (currently amended) An isolated polypeptide comprising a sequence having at least 80% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22);
(b) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide; or~~

[[~~(e)~~]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 103651,

wherein said polypeptide is encoded by nucleic acid amplified in lung or colon tumor.

23. (currently amended) The isolated polypeptide of Claim 22 comprising a sequence having at least 85% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22);
(b) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide; or~~

[[~~(e)~~]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 103651,

wherein said polypeptide is encoded by nucleic acid amplified in lung or colon tumor.

24. (currently amended) The isolated polypeptide of Claim 22 comprising a sequence having at least 90% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22);
- (b) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide; or~~

[[~~(e)~~]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 103651,

wherein said polypeptide is encoded by nucleic acid amplified in lung or colon tumor.

25. (currently amended) The isolated polypeptide of Claim 22 comprising a sequence having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22);
- (b) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide;

~~(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22);~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide; or~~

[[~~(e)~~]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 103651,

wherein said polypeptide is encoded by nucleic acid amplified in lung or colon tumor.

26. (currently amended) The isolated polypeptide of Claim 22 comprising a sequence having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22);
- (b) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide;
- ~~(c) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22);~~
- ~~(d) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide; or~~
- [[~~(e)~~]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 103651,

wherein said polypeptide is encoded by nucleic acid amplified in lung or colon tumor.

27. (currently amended) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22);
- (b) the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide;
- ~~(c) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22);~~
- ~~(d) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide; or~~
- [[~~(e)~~]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 103651.

28. (previously presented) The isolated polypeptide of Claim 27 comprising the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22).

29. (previously presented) The isolated polypeptide of Claim 27 comprising the amino acid sequence of the polypeptide shown in Figure 16 (SEQ ID NO: 22), lacking its associated signal peptide.

30 - 31 (canceled).

32. (previously presented) The isolated polypeptide of Claim 27 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

33. (previously presented) A chimeric polypeptide comprising polypeptide according to Claim 22 fused to a heterologous polypeptide.

34. (previously presented) The chimeric polypeptide of Claim 33, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.